

Logo Usage Guidelines

Table of Contents

Color palette	02
Logo spacing	03
Motto spacing	04
Monogram spacing	05
Kron logo	06
Kron logo colors over dark and light backgrounds	07
Kron logo colors over reversed and colored backgrounds	08
Krontech logo	09
Krontech logo colors over dark and light backgrounds	10
Krontech logo colors over reversed and colored backgrounds	11
Kron product logos	12



Color palette

Our primary color is electric blue.

Black complements this as a secondary color.

Black should be used mostly as a background for text and sometimes for items like small icons.

Where versatility needs to be added, for example pages in a catalog or to differentiate parts of a website, energetic yellow should be used as the third color.



Kron Electric Blue

#1563FF RGB 21-99-255 CMYK 81-62-0-0 Pantone 2727 C Black

#000000 RGB 0-0-0 CMYK 100-100-100 White


#FFFFFF RGB 255-255-255 CMYK 0-0-0-0 **Energetic Yellow**

#E2E735 RGB 226-231-53 CMYK 16-0-90-0 Pantone 387 C



Logo spacing


The safety area around the logo should be protected when Kron logo used in a page layout, banners, websites and in various application areas. The short edge of the letter "n" of the Kron logo should always be used as 1x unit.





Motto spacing


The safety area around the logo and motto should be protected when Kron (including motto) logo used in a page layout, banners, websites and in various application areas. The space between motto and logo should not be changed. The short edge of the letter "n" of the Kron logo should always be used as 1x unit.






Monogram spacing

The safety area around the monogram should be protected when Kron monogram used in a page layout, banners, websites and in various application areas. The short edge of the letter "n" of the Kron logo should always be used as 1x unit.









Kron logo colors over dark and light backgrounds

Positive and negative versions of Kron logo should be used in very limited special cases. These logos are not an alternative for brand communication activities. This should only be preferred when there is a restrictive situation to print from the printer or if it is used side by side with other brand logos where logos applied in positive and negative as a whole.





Kron logo colors over reversed and colored backgrounds


The use on colored ground should be used at the specified rates. It should be preferred to use on 50% white and electric blue background, 25% on black and energetic yellow background.



50%

Kon

50%





25%



Kontech

Krontech



Krontech logo colors over dark and light backgrounds

Positive and negative versions of Krontech logo should be used in very limited special cases. These logos are not an alternative for brand communication activities. This should only be preferred when there is a restrictive situation to print from the printer or if it is used side by side with other brand logos where logos applied in positive and negative as a whole.

Kantech

Kontech



Krontech logo colors over reversed and colored backgrounds

The use on colored ground should be used at the specified rates. It should be preferred to use on 50% white and electric blue background, 25% on black and energetic yellow background.

Krontech

50%

Krontech

50%



25%

Krontech

25%



Kron product logos

Single Connect Con

Single Monitor **CON**

Quality Assurance Con

Marta AAA (CON

CG Logger Kon

Secure Cloud Wi-Fi

Single Connect Con

Single Monitor Con

Quality Assurance Con

Marta AAA CON

CG Logger Con

Secure Cloud Wi-Fi





Please contact us for any questions you may have about the use of Kron corporate colors and logos.

+90 212 286 51 22 marcom@kron.com.tr